

Allergic Rhinitis

Victor A. Agnello, MD
Walter Reed Army Medical
Center

Objectives

- Understanding what allergic rhinitis is
- How to recognize allergic rhinitis
- Treatment

Definition

Allergic rhinitis (AR) = inflammation of the lining of the nose, characterized by one or more of the following “nasal sx”:

- Nasal congestion
- Nasal pruritis
- Rhinorrhea
- Sneezing

Nasal sx lasting > 1 hr on most days.

Prevalence

Approx 20% of the US population.

Nasal allergies responsible for:

- 10 million medical office visits
- 28 million days of restricted activity.
- 10 million missed work days.
- 2 million missed school days.
- Cost for tx = \$1.16 billion/yr (1990)
- Cost due to lost work days = \$639 million/yr (1990)

Prevalence

- Males and females equally affected.
- No apparent ethnic prediliction.
- Temperate areas of North America and Eurasia.

Ages affected

- Not seen until after age 4 or 5.
 - (Takes approx 3 pollen season exposures).
- 10-15% in adolescents (adolescents and young adults).
- Peak age 30 (decades 2, 3 and 4).

Ages affected

Elderly:

- Decreased IgE production.
- Perennial rhinitis rarely caused by allergic mechanisms.
- Non-allergic (autonomic imbalance, alteration muscarinic receptors, earlier nasal disorder).
- “Old man’s drip”

Predisposition

- Genetic:
 - Positive FHx (polygenic inheritance)
 - Negative FHx does not rule out dx of AR
- Atopic dermatitis:
 - Early sign of predisposition to allergy.
 - 13% -/- parent, 30% +/- parent/sibling, 50% +/+ parent.
- Previous exposure/environmental factors

Comorbidities ass'd with AR

- Asthma
- Sinusitis
- Otitis Media (with effusion)

(AR occurs frequently in pts with asthma and atopic dermatitis.)

Symptoms

Direct:

- Nasal congestion
- Rhinorrhea
- Pruritis
- Sneezing
- Eye tearing & pruritis
- Ear & palate pruritis
- Post nasal drip
- Anosmia

Symptoms

Non-nasal:



- HA
- Sore throat
- Chronic cough
- Mouth breathing

Symptoms


Psychosocial/Cognitive:

- Fatigue
- Depression
- Irritability
- Anxiety
- Sleep disturbance
- Poor concentration
- Reduced productivity
- Impaired learning, decision making and psychomotor speed

Anatomy



Mechanism



- **Histamine**: pruritis, sneezing, rhinorrhea
- **Acetylcholine**: stimulates glandular secretion

Mediator Effects

- Vasodilation and increased vascular permeability
 - (nasal congestion)
- Increased glandular secretion
 - (mucus rhinorrhea)
- Stimulation of afferent nerves
 - (pruritis & sneezing)

Types of Allergic Rhinitis

- Seasonal (intermittent sx)
- Perennial (chronic & persistent sx)

Seasonal Rhinitis

- **Pollen:**

- Spring (March-June) = Trees
- Summer (May-August) = Grass
- Fall (August-October) = Weeds

- **Mold:**

- Spores in outdoors have seasonal variation (reduced #'s in winter, increased in summer/fall due to humidity).


- **House dust mites:**

- Generally a “perennial” allergen, but may be increased in damp autumn months.

Perennial Rhinitis

- **Fungi/mold:**
 - Exposure peaks accompany activities such as harvesting, cutting grass and leaf raking.
- **Pet Dander** (cats, dogs):
 - Can linger up to 4 months after pet removal.
- **House dust mites:**
 - Live in bedding, carpets and upholstery.
 - Dietary preference: human epidermal scales.
- **Cockroaches:**
 - Respiratory allergy
 - Important allergen in inner-city asthma.

Seasonal vs. Perennial Allergic Rhinitis



“Rhinitis”: Differential diagnosis

- Acute
 - Viral
 - Bacterial
- Chronic
 - Seasonal vs Perennial
 - Chronic infectious rhinosinusitis
 - Nonallergic
 - Vasomotor
 - Gustatory
 - Nonallergic Rhinitis with eosinophilia
 - Primary atrophic
 - Rhinitis medicamentosa
 - Associated with systemic dz
 - Associated with systemic immunological dz
 - Emotional
 - Nasal neoplasm
 - Trauma

Diagnosis

- History
- Physical exam
- Skin prick testing, Nasal smear, etc.

History

- General medical hx
- Rhinological sx
 - (environmental and/or occupational factors)
- Family Hx
- Frequency of sx
 - (daily, episodic, seasonal, perennial)
- Duration
- Severity (increased, decreased or same)
- Qualitate nasal discharge:
 - AR: clear and watery
 - Bacterial rhinitis/sinusitis: pus (thick/discolored)
 - Chronic sinusitis: purulent nasal drainage, HA, halitosis.

Physical exam

Nose

- Nasal mucosa classically pale blue, but not diagnostic (60%).
- Thick yellowish secretions suggest infection.
- Structural deformities that may impede air flow (deviated nasal septum, nasal polyps, hypertrophied turbinates).
- “Allergic Salute”
- “Dennie-Morgan” line

Eyes

- “Allergic Shiners”
- Conjunctivitis
- Tearing

Ears

- Fluid
- Infection

Lungs

- Wheezing
- Persistent coughing

Other areas

- Stigmata of atopic diseases in conjunction with nasal sx:
 - atopic eczema, asthma

Skin Prick Testing

- IgE-mediated rxn (Type I).
- Small, but significant potential for anaphylactic rxn.
- Wheal & flare response (15-20 minutes)
- Includes a “positive” and “control” soln.
- Positive rxn = over 3cm wheal with associated flare and pruritis (no rxn to neg control).

Skin Prick Testing (cont.)

- # of skin test allergens limited to common aeroallergens in pt's environment.
- False positives (dermatographism)
- False negatives (interference by meds, i.e. antihistamines)

Skin Prick Test (cont.)

- Discontinue antihistamine use prior to skin testing:
 - Benadryl, CTM: 48 hrs
 - Claritin: 96 hrs
 - Atarax: 120 hrs
 - Hismanal: 6 weeks
- TCA's and some antipsychotics may also block skin test results.

In vitro serum test (RAST)

- Serum levels of specific IgE antibodies.
- Consider in rare pts who:
 - have extensive skin disease
 - have dermatographism
 - must take medication that interferes with skin testing
 - children may prefer blood draw to skin test

Nasal smears

- Eosinophils may help differentiate “allergic” from “infectious” rhinitis (neutrophils).

Other diagnostics

- **Peripheral blood eosinophil counts**
 - does not assist in allergy diagnosis.
- **Rhinoscopy**

Medication Arsenal

- Antihistamines (first and second generation)
- Decongestants
- Corticosteroids
- Cromolyn Sodium
- Ipratropium

Antihistamines

First Generation

- i.e.: Benadryl, Chlor-Trimeton (CTM)
- Mechanism: inhibition of histamine (H1) receptors.
- Effect: reduce sneezing, nasal pruritis and rhinorrhea, but not congestion.
- Note:
 - OTC
 - Work better in “seasonal” rhinitis.
- Side Effects: anticholinergic activity
--> adverse CNS effects.

Antihistamines

Second Generation

- i.e.: Claritin, Allegra, Zyrtec
- Mechanism: inhibit histamine (H1) receptors.
- Effect: same as First generation.
- Note:
 - Nonsedating (Zyrtec is low-sedating)
 - Prescription only
- Side effects: Seldane (Terfenadine, now off market) -- “Black-box warnings” related with serious cardiac arrhythmias (w/ macrolide, antifungals).

Decongestants (oral/topical)

- i.e.: Sudafed (oral), Afrin (topical)
- Mechanism: alpha-adrenergic agonist.
- Effect: vasoconstriction restricts blood flow to nasal mucosa decreasing nasal obstruction (no influence on pruritis, sneezing or nasal secretion).
- Side effects:
 - Oral: HA, nervousness, irritability, tachycardia, palpitations, insomnia.
 - Topical(nasal): prolonged use (>5-7 days) leads to **rhinitis medicamentosa**

Decongestants

Rhinitis Medicamentosa (RM)

- Prolonged use of topical decongestant may induce rebound congestion upon withdrawal.
- Leads to inflammatory hypertrophy of nasal mucosa, termed RM.
- Caused by down regulation of alpha-adrenoreceptors --> less sensitive to endogenously released NE and exogenously applied vasoconstrictors.
- Tx: wean over 7-10 days while reducing inflammation by intranasal steroids.

Corticosteroids (intranasal)

- i.e.: Vancenase, Flonase
- Mechanism:
 - reduce inflammation
 - suppress neutrophil chemotaxis
 - mildly vasoconstrictive
 - reduce intracellular edema
- Effect: reduce nasal blockage, pruritis, sneezing and rhinorrhea.

Corticosteroids (continued)

Note:

- most potent single medication for tx of AR.
- intranasal: acts locally.
- goal: control sx with lowest possible dose.
- >90% achieve symptomatic relief.
- most effective when started several days before exposure and used on regular basis.
- therapeutic efficacy within 1-3 days, but max efficacy may take up to 3 weeks.
- compliance is critical.

Side effects: nasal irritation, bleeding (nasal septal perforation).

Cromolyn Sodium (intranasal)

- i.e: Nasalcrom
- Mechanism: mast cell stabilizing agent --> reduces release of histamine and other mediators.
- Effects: reduces nasal pruritis, sneezing, rhinorrhea and congestion.
- Note:
 - prophylactic use: start before pollinosis sx or unavoidable/predictable exposures.
 - disadvantage: frequent dosing (q4hrs).
- Side effects: locally, <10% of pts (sneezing, nasal stinging, burning, irritation).

Ipratropium (intranasal)

- i.e.: Atrovent (intransal)
- Mechanism: inhibits muscarinic cholinergic receptors.
- Effect: reduces watery rhinorrhea (no effect on nasal itching, sneezing or nasal congestion).
- Note:
 - limited to control of watery secretions.
 - effective at reducing both “cold-air” and “gustatory” rhinitis.
- Side effects: irritation, crusting, epistaxis.

Saline (intranasal)

- i.e.: NaSal, SeaMist, Ocean, Ayr
- Effects: relief from crusting and can be soothing.

Treatment Options

1) Avoidance/modifying factors/patient education

- bed encasements (allergen-impermeable covers)
- wash bed sheets @ >130 F
- dusting/vacuuming
- air conditioning/filters
- indoor humidity $<40\%$
- pets
- choosing environment
- explain to pts how meds work

Avoidance/Modifying Factors

NATIONAL ALLERGY SUPPLY, INC.
1-800-522-1448
 CALL 24 HOURS A DAY MONDAY-SATURDAY
 FAX (770) 623-5568

NOW 100% Satisfaction Guaranteed On All Items!

DISCOUNT ALLERGY SUPPLIES!

Mite Proof Encasings



Mite Proof Encasings Are Cool and Comfortable!
 Super-comfortable, zippered encasings—now available in 3 different fabric finishes: 1. SATINSOFT™—our "Best Buy" is made of lightweight breathable stretch-knit joined to the mite-proof COMFORTECH™ Membrane. A satin-like look and feel. Guaranteed to be the most comfortable encasing ever! Compare this comfort to encasings costing 40-50% more! 2. COTTON-GUARD™—traditional cotton-polyester fabric joined to the COMFORTECH™ Membrane. Cool, sheet-like comfort. 3. TRICOT-KNIT fabric bonded to soft vinyl. Excellent comfort at economy prices. All three models have premium, non-proof zippers and seams that are reinforced. You get trouble-free, top-of-the-line encasings with a **LIFETIME WARRANTY**—at discount prices. Love them or your money back!



Economical All-Vinyl Boxspring/Mattress Encasings
 Dust mites live in all bedding. Protect your boxsprings with economical all-vinyl encasings. Made of strong 6-gauge vinyl—not thin 4-gauge that tears easily. Fully zippered, non-allergenic, plus **LIFETIME WARRANTY**. Boxspring encasings fit mattresses, too, for those preferring all-vinyl encasings.

	Our Price	NEW PRICE	Retail	Our Price	Retail	Our Price
Crib	28x52x6	\$14.00	\$17.99	35.95	\$25.99	\$27.99
*Twin	39x75x8	\$22.99	\$27.99	49.95	\$39.99	\$41.99
*Long Twin	39x80x8	\$23.99	\$27.99	51.00	\$40.99	\$42.99
*Full	54x75x8	\$25.99	\$33.99	54.95	\$43.99	\$46.99
*Queen	60x80x8	\$27.99	\$42.99	66.95	\$53.99	\$56.99
*King	78x80x8	\$33.99	\$52.99	79.95	\$65.99	\$68.99
*Cal. King	73x84x8	\$33.99	\$52.99	79.95	\$65.99	\$68.99

	Our Price	NEW PRICE	Retail	Our Price	Retail	Our Price
Crib	28x52x6	\$14.00	\$17.99	35.95	\$25.99	\$27.99
*Twin	39x75x8	\$22.99	\$27.99	49.95	\$39.99	\$41.99
*Long Twin	39x80x8	\$23.99	\$27.99	51.00	\$40.99	\$42.99
*Full	54x75x8	\$25.99	\$33.99	54.95	\$43.99	\$46.99
*Queen	60x80x8	\$27.99	\$42.99	66.95	\$53.99	\$56.99
*King	78x80x8	\$33.99	\$52.99	79.95	\$65.99	\$68.99
*Cal. King	73x84x8	\$33.99	\$52.99	79.95	\$65.99	\$68.99

Ultra-Light Comforter Covers
 Dust mites are present in all bedding. Protect your comforter with an encasing made of ultra-lightweight SATINSOFT™ fabric with the miteproof COMFORTECH™ Membrane. Fully zippered. A luxurious, satin-like look and feel—in four pleasing colors. NOTE: Can also be used as an inner liner under your decorative duvet cover.

Color	Our Price	NEW PRICE
White	64x86	\$59.99
Blue	64x86	\$59.99
Green	64x86	\$59.99
Pink	64x86	\$59.99

Best Buy-Only 1489*



Honeywell Enviracaire® True HEPA Air Cleaners
 HEPA Air Cleaners are great for allergy sufferers! Medical filters with 99.97% efficiency keep your bedroom free of pollen, dust, mite allergens, cold/flu allergens, mold spores, smoke, fumes, even bacteria and some viruses. But be sure to choose a powerful HEPA unit. The higher the "CFM Rating," (CFM stands for "Cubic Feet of air cleaned per Minute") the more allergens are taken out of the air. "Extra strength" units—like the 350 CFM above—are best for allergies and are by far the best value. No assembly, just plug in and feel better tonight! No Risk 30-day Money Back Guarantee. **NEW LOWER PRICES!**

Model	Retail Price	Our Price	Pre-Filters (6 months supply)	Main Filter (5 years)
85 CFM	\$129	\$95.99	N/A	\$12.99
150 CFM	\$179	\$155.99	\$10.99	\$13.99
250 CFM	\$219	\$169.99	\$12.99	\$16.99
350 CFM	\$249	\$189.99	\$14.99	\$16.99
400 CFM	\$279	\$219.99	\$16.99	\$16.99

ALSO AVAILABLE: CPZ Model w/chemical filters—Only **\$269.99**

Make Your Vacuum Cleaner Virtually Dustless
 A major advancement in vacuum cleaning! Ordinary vacuum dust bags are highly porous—millions of allergenic particles escape back into the room. But new ALLER-VAC™ Vacuum bags are made of DuPont's new HYSURE® filter material that's 97% efficient on particles down to 1 micron—far superior to multi-layer bag! No more allergenic dust storms and no more dusty smell. You get healthy allergen-free air. ALLER-VAC™ bags last 2-3 times longer than micro-type bags because the slippery inside surface doesn't clog up before the bag is full. Available styles: Furka Style P&G, C, and U; Hoover Types A or C; Electrolux Canister or Upright; Regina P, Sears S055, 5023/33; Panasonic Type U; Dirt Devil (hardcase upright only).

Buy 12 Bags at Save \$19.99 6 bags

Vent Filtration Kit—Stops dust from coming into bedroom
 High-grade polyester filters remove dust coming out of ductwork. Filters fit over or under the air-supply vent in your bedroom. Kit comes complete with Velcro installation strips. Just cut to size and snap on. Filters are much more efficient and economical than gaskets or chemo-cloth. Enough filters for 12 monthly changes. Simple, convenient, inexpensive. A basic environmental control for your bedroom. **Only \$12.99** Complete with installation strips

Pulmo-Aide® Compressor
 New with all attachments including Part LC PLUS nebulizer. 5 yr. Factory Warranty. Lightweight. (DuraNeb® 1000 portable unit with AC/DC, battery pack & Part LC PLUS only **\$299.99**. DuraNeb® 1000 portable unit with AC/DC **\$199.99**.)

Pari ProNeb® Compressor
 New with all attachments including Part LC PLUS nebulizer. 5 yr. Factory Warranty. Lightweight. (DuraNeb® 1000 portable unit with AC/DC, battery pack & Part LC PLUS only **\$299.99**. DuraNeb® 1000 portable unit with AC/DC **\$199.99**.)

CALL US 24 HOURS A DAY MONDAY-SATURDAY
Most products are shipped IMMEDIATELY.

Treatment Options (cont.)

2) Antihistamines +/- Decongestants

- intermittent AR episodes
- antihistamines = first line tx (sneezing, pruritis, rhinorrhea)
- if nasal congestion a major sx, add an oral decongestant.
- combined tx with **antihistamine/decongestant** control sx better than with antihistamine alone.

Treatment Options (cont.)

3) Add Nasal Steroids

- prolonged sx
- add to antihistamine/decongestant regimen
- will reverse preexisting inflammation
- will prevent nasal priming

Immunotherapy (ITX)

Should be considered if:

- pharmacotherapy insufficiently controls sx or produces undesirable side effects.
- appropriate avoidance measures fail to control sx.
- h/o AR for at least 2 seasons (seasonal) or 6 months (perennial).
- positive skin tests correlate with rhinitis sx.

Immunotherapy (cont.)

Contraindications:

- age < 5-6 yrs.
- use of beta-blockers.
- contraindication to epinephrine.
- pt non-compliance.
- autoimmune dz.
- induction during pregnancy (maintenance OK).
- uncontrolled asthma, $FEV_1 < 70\%$

Immunotherapy (cont.)

- 80-85% pts derive long-lasting symptomatic relief.
- After 3-5 seasons with adequate relief, stopping should be considered.
- ~60% pts will continue to derive symptomatic benefit with reduced need for medication.
- All pts on ITX should be encouraged to maintain environmental avoidance and may have to use concomitant medication (i.e.: antihistamines).

Who/when to refer to an Allergist

- The need to assess allergen-specific IgE-mediated mechanisms of sx causation.
- When pt does not respond to indicated tx (may need rhinoscopy, imaging studies or eval of immunocompetence).
- Any pt with a treatable complication of allergic dz may benefit from a specialized referral.

Patient #1

- HPI: 22 yo WM construction worker o/w healthy c/o tearing eyes, excessive sneezing and profuse watery runny nose occurring every spring when he works outdoors.
- PE:
 - VS: T 97.6, 118/76, HR 60, RR 12
 - HEENT: no frontal/maxillary sinus tenderness; ocular tearing and scleral injection; TM's clear; cyanotic/boggy nasal mucosa, thin/clear nasal d/c; oropharynx clear.
 - Lungs: CTAB
 - Skin: no rashes or lesions.

Seasonal allergic rhinitis

Keys to dx:

- h/o intermittent sx, related with time of year.
- PE: ocular tearing, clear “watery” nasal d/c, sneezing.

Tx: antihistamine prn or daily use

Patient #2

- HPI: 19 yo AD BF presents with yellowish nasal d/c x 5 days. She states she initially developed a sore throat and felt fatigued. The sore throat has since resolved. She continues to feel fatigued, and has lost her sense of smell and taste. Denies F/S/C or SOB.
- PMH: asthma

Patient #2 (cont.)

- PE:
 - VS: T 99.9, 122/80, HR 86, RR 12
 - HEENT: no frontal/maxillary sinus tenderness; no ocular tearing or scleral injection; TM's clear; +erythematous nasal nares, nasal mucosa erythematous with mucopurulent d/c; mildly erythematous oropharynx w/o exudates or tonsillar hypertrophy.
 - Neck: mildly tender, shoddy cervical adenopathy.
 - Lungs: mild end expiratory wheezes. No egophany.
 - Skin: no rashes or lesions.

Viral vs. Bacterial Rhinitis

Keys to dx:

- Infectious process: mucopurulent nasal d/c, tender cervical lymphadenopathy, low-grade fever, acute process.

Tx: if viral rhinitis is suspected: Tylenol, fluids and rest (bacterial superinfection may require additional Abx tx).

Patient #3

- HPI: 34 yo WM c/o having a “chronic cold”. States his nose is always somewhat congested, with clear d/c. Denies excessive sneezing or ocular tearing. Has been put on CTM in past with minimal success, and has since quit use secondary to feeling sluggish while using.

• PE Patient #3 (cont.)

- VS: T 98.6, 124/84, HR 74, RR 14
- HEENT: no frontal/maxillary sinus tenderness; sclera non-injected; TM's clear; transverse crease over lower portion of nose, erythematous nasal mucosa with scant thin/clear d/c; oropharynx mildly erythematous w/o exudates or tonsillar hypertrophy.
- Lungs: CTAB
- Skin: infraorbital cyanosis bilat; papular, lichenified plaques of antecubital fossae bilat.

Perennial allergic rhinitis

Keys to dx:

- “Year-round” sx
- Clear nasal d/c; can see erythematous nasal mucosa in AR.
- Appears to have co-existent atopic derm.

Tx: antihistamine/decongestant + nasal steroid (+ nasal saline).

Note:

- pt would benefit from a non-sedating antihistamine during day.
- may benefit from skin testing (avoidance, modifying factors).

Patient #4

- HPI: 38 yo Asian male c/o frontal HA's, thick yellow nasal d/c, and an occasional productive cough (thick yellowish-green sputum) x 1 week. States that leaning his head forward elicits facial pain/pressure. His wife has commented that he has "bad breath" despite attempts at brushing his teeth. Admits to frequent sinus infections similar to current sx, as well as "year-round" nasal congestion and intermittent d/c, yet that nasal d/c is usually clear. Smokes 1 pack cigarettes/day x 20 yrs.

Patient #4 (cont.)

- PE

- VS: T 100.1, 134/90, HR 92, RR 18
- HEENT: + right maxillary sinus tenderness; right TM mildly injected but w/o effusion; erythematous nasal mucosa with thick green d/c, hypertrophied inferior nasal turbinates bilat; + greenish streaking of posterior oropharynx, + halitosis.
- Neck: no adenopathy
- Lungs: CTAB
- Skin: infraorbital cyanosis; no rashes or lesions.

1) Recurrent chronic sinusitis

Keys to dx:

- ## 2) Perennial allergic rhinitis
- RCS: sinus tenderness, facial pain with leaning forward, mucopurulent nasal d/c, halitosis, h/o perennial allergic rhinitis w/ recurrent sinus infections.
 - Perennial AR: “year-round” nasal congestion w/ clear d/c.

Tx:

- Sinusitis: oral Abx
- AR: antihistamine, decongestant, nasal steroid, nasal saline, pt education (avoidance, modifying factors). Skin testing. Stop smoking.

Questions?

